

Date: 12 May 2025

Field pea blackspot risk forecast for Western Australia

Field Pea Blackspot Risk Forecast is a location and season specific weekly forecast. It accounts for varietal resistance and chemical options, agronomic yield potentials, agronomic constraints (frost and terminal drought), risks of spore showers, disease severity, and disease related yield loss. It then weighs agronomic yield loss and disease yield loss and suggests a window of sowing dates.

This prediction is based on DPIRD's Blackspot Manager model using weather data from 1st January 2025 to 11 May 2025 from the nearest weather station.

You may notice weather station changes for some locations. This is to ensure that the weather data being used is the most accurate available for the area and uses open BOM weather stations whenever possible. In some locations, a suitable weather station may not be available and so we may use interpolated weather data, which uses data from surrounding stations to create reasonable values for missing weather data.

Sowing time can depend on a range of factors and it is recommended to consult an agronomist to determine the optimal sowing window for your situation.


Missing a location or would like to receive email or SMS alerts?

Sign up today to get alerts and add your local weather station. Text 'blackspot', your name and nearest weather station to 0475 959 932 or email BlackspotManager@dpiird.wa.gov.au.

Key to blackspot severity scores

The aim is to delay sowing of field pea crops, where agronomically possible, until the majority of blackspot spores (approximately 60%) have been released prior to the crop emergence. This strategy reduces yield losses from blackspot.

Map showing the relative current risk of spores based upon blackspot model outputs for various location in WA, 11 May 2025.



Blackspot risk	Spores released (%)	Range of yield loss for different levels of blackspot risk (%)
Low	60 - 100	2 - 15
Medium	30 - 59	20 - 35
High	0 - 29	25 - 50

Note. Locations have been listed A-Z

Bencubbin

Last date used for prediction: 11 May 2025

Rainfall to date: 50.8 mm

Days with significant stubble moisture: 43

Forecast for crops sown on	12 May	19 May	26 May
Sowing guide (based on agronomic suitability)	38% spores released - blackspot risk medium	46% spores released - blackspot risk medium	62% spores released - blackspot risk low
Blackspot risk	Do not sow	Do not sow	Sow - do not sow dry

Boyatup

Last date used for prediction: 11 May 2025

Rainfall to date: 91.4 mm

Days with significant stubble moisture: 48

Forecast for crops sown on	12 May	19 May	26 May
Sowing guide (based on agronomic suitability)	50% spores released - blackspot risk medium	57% spores released - blackspot risk medium	72% spores released - blackspot risk low
Blackspot risk	Do not sow	Do not sow	Sow - do not sow dry

Cascade

Last date used for prediction: 11 May 2025

Rainfall to date: 158.4 mm

Days with significant stubble moisture: 51

Forecast for crops sown on	12 May	19 May	26 May
----------------------------	--------	--------	--------

Sowing guide (based on agronomic suitability)	57% spores released - blackspot risk medium	72% spores released - blackspot risk low	83% spores released - blackspot risk low
Blackspot risk	Do not sow	Sow - do not sow dry	Sow - do not sow dry

Condingup

Last date used for prediction: 11 May 2025

Rainfall to date: 162.4 mm

Days with significant stubble moisture: 53

Forecast for crops sown on	12 May	19 May	26 May
Sowing guide (based on agronomic suitability)	62% spores released - blackspot risk low	68% spores released - blackspot risk low	80% spores released - blackspot risk low
Blackspot risk	Sow - do not sow dry	Sow - do not sow dry	Sow - do not sow dry

Coomalbidgup

Last date used for prediction: 11 May 2025

Rainfall to date: 208.2 mm

Days with significant stubble moisture: 50

Forecast for crops sown on	12 May	19 May	26 May
Sowing guide (based on agronomic suitability)	55% spores released - blackspot risk medium	70% spores released - blackspot risk low	82% spores released - blackspot risk low
Blackspot risk	Do not sow	Sow - do not sow dry	Sow - do not sow dry

Cunderdin

Last date used for prediction: 11 May 2025

Rainfall to date: 58.4 mm

Days with significant stubble moisture: 37

Forecast for crops sown on	12 May	19 May	26 May
Spores released	25% spores released - blackspot risk high	31% spores released - blackspot risk medium	48% spores released - blackspot risk medium
Blackspot risk	Do not sow	Do not sow	Do not sow

Dalwallinu

Last date used for prediction: 11 May 2025

Rainfall to date: 53.4 mm

Days with significant stubble moisture: 16

Forecast for crops sown on	12 May	19 May	26 May
Spores released	0% spores released - blackspot risk high	1% spores released - blackspot risk high	6% spores released - blackspot risk high
Blackspot risk	Do not sow	Do not sow	Do not sow

Darkan

Last date used for prediction: 11 May 2025

Rainfall to date: 112 mm

Days with significant stubble moisture: 36

Forecast for crops sown on	12 May	19 May	26 May
Spores released	23% spores released - blackspot risk high	29% spores released - blackspot risk high	46% spores released - blackspot risk medium
Blackspot risk	Do not sow	Do not sow	Do not sow

Dinninup (Boyup Brook)

Last date used for prediction: 11 May 2025

Rainfall to date: 105 mm

Days with significant stubble moisture: 29

Forecast for crops sown on	12 May	19 May	26 May
Spores released	10% spores released - blackspot risk high	15% spores released - blackspot risk high	29% spores released - blackspot risk high
Blackspot risk	Do not sow	Do not sow	Do not sow

Ejanding (Dowerin)

Last date used for prediction: 11 May 2025

Rainfall to date: 63.4 mm

Days with significant stubble moisture: 32

Forecast for crops sown on	12 May	19 May	26 May
Spores released	15% spores released - blackspot risk high	21% spores released - blackspot risk high	36% spores released -

			blackspot risk medium
Blackspot risk	Do not sow	Do not sow	Do not sow

Esperance Downs

Last date used for prediction: 11 May 2025

Rainfall to date: 147.6 mm

Days with significant stubble moisture: 43

Forecast for crops sown on	12 May	19 May	26 May
Spores released	38% spores released - blackspot risk medium	46% spores released - blackspot risk medium	62% spores released - blackspot risk low
Blackspot risk	Do not sow	Do not sow	Sow - do not sow dry

Gairdner

Last date used for prediction: 11 May 2025

Rainfall to date: 139.6 mm

Days with significant stubble moisture: 53

Forecast for crops sown on	12 May	19 May	26 May
Spores released	62% spores released - blackspot risk low	68% spores released - blackspot risk low	80% spores released - blackspot risk low
Blackspot risk	Too early to sow before 18 May	Sow - do not sow dry	Sow - do not sow dry

Grass Patch

Last date used for prediction: 11 May 2025

Rainfall to date: 182 mm

Days with significant stubble moisture: 49

Forecast for crops sown on	12 May	19 May	26 May
Spores released	53% spores released - blackspot risk medium	59% spores released - blackspot risk medium	74% spores released - blackspot risk low
Blackspot risk	Do not sow	Do not sow	Sow - do not sow dry

Jacup

Last date used for prediction: 11 May 2025

Rainfall to date: 28.2 mm

Days with significant stubble moisture: 13

Forecast for crops sown on	12 May	19 May	26 May
Spores released	0% spores released - blackspot risk high	0% spores released - blackspot risk high	3% spores released - blackspot risk high
Blackspot risk	Do not sow	Do not sow	Do not sow

Jerdacuttup

Last date used for prediction: 11 May 2025

Rainfall to date: 166.2 mm

Days with significant stubble moisture: 54

Forecast for crops sown on	12 May	19 May	26 May
Spores released	64% spores released - blackspot risk low	70% spores released - blackspot risk low	82% spores released - blackspot risk low
Blackspot risk	Sow - do not sow dry	Sow - do not sow dry	Sow - do not sow dry

Katanning

Last date used for prediction: 11 May 2025

Rainfall to date: 102.2 mm

Days with significant stubble moisture: 36

Forecast for crops sown on	12 May	19 May	26 May
Spores released	23% spores released - blackspot risk high	29% spores released - blackspot risk high	46% spores released - blackspot risk medium
Blackspot risk	Do not sow	Do not sow	Do not sow

Kojonup

Last date used for prediction: 11 May 2025

Rainfall to date: 127.4 mm

Days with significant stubble moisture: 38

Forecast for crops sown on	12 May	19 May	26 May
----------------------------	--------	--------	--------

Spores released	27% spores released - blackspot risk high	34% spores released - blackspot risk medium	50% spores released - blackspot risk medium
Blackspot risk	Do not sow	Do not sow	Do not sow

Kondinin

Last date used for prediction: 11 May 2025

Rainfall to date: 85.9 mm

Days with significant stubble moisture: 36

Forecast for crops sown on	12 May	19 May	26 May
Spores released	23% spores released - blackspot risk high	29% spores released - blackspot risk high	46% spores released - blackspot risk medium
Blackspot risk	Do not sow	Do not sow	Sow - do not sow dry

Kulin

Last date used for prediction: 11 May 2025

Rainfall to date: 87.4 mm

Days with significant stubble moisture: 36

Forecast for crops sown on	12 May	19 May	26 May
Spores released	23% spores released - blackspot risk high	29% spores released - blackspot risk high	46% spores released - blackspot risk medium
Blackspot risk	Do not sow	Do not sow	Sow - do not sow dry

Lake King

Last date used for prediction: 11 May 2025

Rainfall to date: 188.8 mm

Days with significant stubble moisture: 47

Forecast for crops sown on	12 May	19 May	26 May
Spores released	48% spores released - blackspot risk medium	55% spores released - blackspot risk medium	70% spores released - blackspot risk low

Blackspot risk	Do not sow	Do not sow	Sow - do not sow dry
----------------	------------	------------	----------------------

Lort River

Last date used for prediction: 11 May 2025

Rainfall to date: 156.6 mm

Days with significant stubble moisture: 43

Forecast for crops sown on	12 May	19 May	26 May
Spores released	38% spores released - blackspot risk medium	46% spores released - blackspot risk medium	62% spores released - blackspot risk low
Blackspot risk	Do not sow	Do not sow	Sow - do not sow dry

Merredin

Last date used for prediction: 11 May 2025

Rainfall to date: 58.8 mm

Days with significant stubble moisture: 43

Forecast for crops sown on	12 May	19 May	26 May
Spores released	38% spores released - blackspot risk medium	46% spores released - blackspot risk medium	62% spores released - blackspot risk low
Blackspot risk	Do not sow	Do not sow	Sow - do not sow dry

Mingenew

Last date used for prediction: 11 May 2025

Rainfall to date: 11.5 mm

Days with significant stubble moisture: 0

Forecast for crops sown on	12 May	19 May	26 May
Spores released	0% spores released - blackspot risk high	0% spores released - blackspot risk high	0% spores released - blackspot risk high
Blackspot risk	Do not sow	Do not sow	Do not sow

Moora North West

Last date used for prediction: 11 May 2025

Rainfall to date: 31.2 mm

Days with significant stubble moisture: 16

Forecast for crops sown on	12 May	19 May	26 May
Spores released	0% spores released - blackspot risk high	1% spores released - blackspot risk high	5% spores released - blackspot risk high
Blackspot risk	Do not sow	Do not sow	Do not sow

Mount Burdett

Last date used for prediction: 11 May 2025

Rainfall to date: 109.4 mm

Days with significant stubble moisture: 48

Forecast for crops sown on	12 May	19 May	26 May
Spores released	50% spores released - blackspot risk medium	57% spores released - blackspot risk medium	72% spores released - blackspot risk low
Blackspot risk	Do not sow	Do not sow	Sow - do not sow dry

Mount Howick

Last date used for prediction: 11 May 2025

Rainfall to date: 108.4 mm

Days with significant stubble moisture: 48

Forecast for crops sown on	12 May	19 May	26 May
Spores released	50% spores released - blackspot risk medium	57% spores released - blackspot risk medium	72% spores released - blackspot risk low
Blackspot risk	Do not sow	Do not sow	Sow - do not sow dry

Mount Madden East

Last date used for prediction: 11 May 2025

Rainfall to date: 227.8 mm

Days with significant stubble moisture: 62

Forecast for crops sown on	12 May	19 May	26 May
Spores released	79% spores released - blackspot risk low	83% spores released - blackspot risk low	91% spores released - blackspot risk low

Blackspot risk	Sow - do not sow dry	Sow - do not sow dry	Sow - do not sow dry
----------------	----------------------	----------------------	----------------------

Mount Ney

Last date used for prediction: 11 May 2025

Rainfall to date: 101.4 mm

Days with significant stubble moisture: 46

Forecast for crops sown on	12 May	19 May	26 May
Spores released	46% spores released - blackspot risk medium	53% spores released - blackspot risk medium	68% spores released - blackspot risk low
Blackspot risk	Do not sow	Do not sow	Sow - do not sow dry

Mt Barker

Last date used for prediction: 11 May 2025

Rainfall to date: 200.9 mm

Days with significant stubble moisture: 63

Forecast for crops sown on	12 May	19 May	26 May
Spores released	80% spores released - blackspot risk low	85% spores released - blackspot risk low	92% spores released - blackspot risk low
Blackspot risk	Too early to sow before 25 May	Too early to sow before 25 May	Sow - do not sow dry

Mullewa

Last date used for prediction: 11 May 2025

Rainfall to date: 10.6 mm

Days with significant stubble moisture: 7

Forecast for crops sown on	12 May	19 May	26 May
Spores released	0% spores released - blackspot risk high	0% spores released - blackspot risk high	0% spores released - blackspot risk high
Blackspot risk	Do not sow	Do not sow	Do not sow

Munglinup

Last date used for prediction: 11 May 2025

Rainfall to date: 177.6 mm

Days with significant stubble moisture: 39

Forecast for crops sown on	12 May	19 May	26 May
Spores released	29% spores released - blackspot risk high	36% spores released - blackspot risk medium	53% spores released - blackspot risk medium
Blackspot risk	Do not sow	Do not sow	Do not sow

Munglinup West

Last date used for prediction: 11 May 2025

Rainfall to date: 199.1 mm

Days with significant stubble moisture: 34

Forecast for crops sown on	12 May	19 May	26 May
Spores released	19% spores released - blackspot risk high	25% spores released - blackspot risk high	41% spores released - blackspot risk medium
Blackspot risk	Do not sow	Do not sow	Do not sow

Narrogin

Last date used for prediction: 11 May 2025

Rainfall to date: 97.2 mm

Days with significant stubble moisture: 56

Forecast for crops sown on	12 May	19 May	26 May
Spores released	68% spores released - blackspot risk low	74% spores released - blackspot risk low	85% spores released - blackspot risk low
Blackspot risk	Sow - do not sow dry	Sow - do not sow dry	Sow - do not sow dry

Newdegate

Last date used for prediction: 11 May 2025

Rainfall to date: 75.2 mm

Days with significant stubble moisture: 25

Forecast for crops sown on	12 May	19 May	26 May
Spores released	4% spores released - blackspot risk high	7% spores released - blackspot risk high	19% spores released - blackspot risk high
Blackspot risk	Do not sow	Do not sow	Do not sow

Northam

Last date used for prediction: 11 May 2025

Rainfall to date: 80.1 mm

Days with significant stubble moisture: 38

Forecast for crops sown on	12 May	19 May	26 May
Spores released	27% spores released - blackspot risk high	34% spores released - blackspot risk medium	50% spores released - blackspot risk medium
Blackspot risk	Do not sow	Do not sow	Do not sow

Pingaring

Last date used for prediction: 11 May 2025

Rainfall to date: 106.4 mm

Days with significant stubble moisture: 38

Forecast for crops sown on	12 May	19 May	26 May
Spores released	27% spores released - blackspot risk high	34% spores released - blackspot risk medium	50% spores released - blackspot risk medium
Blackspot risk	Do not sow	Do not sow	Sow - do not sow dry

Pingrup

Last date used for prediction: 11 May 2025

Rainfall to date: 80 mm

Days with significant stubble moisture: 41

Forecast for crops sown on	12 May	19 May	26 May
Spores released	34% spores released - blackspot risk medium	41% spores released - blackspot risk medium	57% spores released - blackspot risk medium
Blackspot risk	Do not sow	Do not sow	Do not sow

Ravensthorpe

Last date used for prediction: 11 May 2025

Rainfall to date: 149.2 mm

Days with significant stubble moisture: 50

Forecast for crops sown on	12 May	19 May	26 May
----------------------------	--------	--------	--------

Spores released	55% spores released - blackspot risk medium	62% spores released - blackspot risk low	75% spores released - blackspot risk low
Blackspot risk	Do not sow	Sow - do not sow dry	Sow - do not sow dry

Ridley North

Last date used for prediction: 11 May 2025

Rainfall to date: 91.4 mm

Days with significant stubble moisture: 45

Forecast for crops sown on	12 May	19 May	26 May
Spores released	43% spores released - blackspot risk medium	50% spores released - blackspot risk medium	66% spores released - blackspot risk low
Blackspot risk	Do not sow	Do not sow	Sow - do not sow dry

Salmon Gums

Last date used for prediction: 11 May 2025

Rainfall to date: 159.2 mm

Days with significant stubble moisture: 53

Forecast for crops sown on	12 May	19 May	26 May
Spores released	62% spores released - blackspot risk low	68% spores released - blackspot risk low	80% spores released - blackspot risk low
Blackspot risk	Sow - do not sow dry	Sow - do not sow dry	Sow - do not sow dry

Scaddan

Last date used for prediction: 11 May 2025

Rainfall to date: 168.6 mm

Days with significant stubble moisture: 50

Forecast for crops sown on	12 May	19 May	26 May
Spores released	55% spores released - blackspot risk medium	62% spores released - blackspot risk low	75% spores released - blackspot risk low

Blackspot risk	Do not sow	Sow - do not sow dry	Sow - do not sow dry
----------------	------------	----------------------	----------------------

Tammin

Last date used for prediction: 11 May 2025

Rainfall to date: 53.2 mm

Days with significant stubble moisture: 37

Forecast for crops sown on	12 May	19 May	26 May
Spores released	25% spores released - blackspot risk high	31% spores released - blackspot risk medium	48% spores released - blackspot risk medium
Blackspot risk	Do not sow	Do not sow	Do not sow

Wattening (Bolgart & Toodyay)

Last date used for prediction: 11 May 2025

Rainfall to date: 55.9 mm

Days with significant stubble moisture: 36

Forecast for crops sown on	12 May	19 May	26 May
Spores released	23% spores released - blackspot risk high	29% spores released - blackspot risk high	46% spores released - blackspot risk medium
Blackspot risk	Do not sow	Do not sow	Do not sow

More information

For more information contact Jean Galloway at DPIRD on +61 (8) 9690 2172.

Important disclaimers

You may notice weather station changes for some locations. This is to ensure that the weather data being used is the most accurate available for the area and uses open DPIRD and BOM weather stations whenever possible. In some locations, a suitable weather station may not be available and so we may use interpolated weather data, which uses data from surrounding stations to create reasonable values for missing weather data.

The Chief Executive Officer of the Department of Primary Industries and Regional Development and the State of Western Australia accept no liability whatsoever by reason of negligence or otherwise arising from the use or release of this information or any part of it. Copyright © State of Western Australia (Department of Primary Industries and Regional Development), 2025.