

Date: 2 June 2026

# Field pea blackspot risk forecast for South Australia

Field Pea Blackspot Risk Forecast is a location and season specific weekly forecast. It accounts for varietal resistance and chemical options, agronomic yield potentials, agronomic constraints (frost and terminal drought), risks of spore showers, disease severity, and disease related yield loss. It then weighs agronomic yield loss and disease yield loss and suggests a window of sowing dates.

This prediction is based on DPIRD's Blackspot Manager model using weather data from 1st January 2026 to 1st June 2026 from the nearest weather station.

You may notice weather station changes for some locations. This is to ensure that the weather data being used is the most accurate available for the area and uses open BOM weather stations whenever possible. In some locations, a suitable weather station may not be available and so we may use interpolated weather data, which uses data from surrounding stations to create reasonable values for missing weather data.

Sowing time can depend on a range of factors and it is recommended to consult an agronomist to determine the optimal sowing window for your situation.


## Missing a location or would like to receive email or sms alerts?

Sign up today to get alerts and add your local weather station. Text 'blackspot', your name and nearest weather station to 0475 959 932 or email [BlackspotManager@dpiird.wa.gov.au](mailto:BlackspotManager@dpiird.wa.gov.au).

## Key to blackspot severity scores

The aim is to delay sowing of field pea crops, where agronomically possible, until the majority of blackspot spores (approximately 60%) have been released prior to the crop emergence. This strategy reduces yield losses from blackspot.

*Map showing the relative current risk of spores based upon blackspot model outputs for various location in SA, 2 June 2026.*



Blackspot risk	Spores released (%)	Range of yield loss for different levels of blackspot risk (%)
Low	60 - 100	2 - 15
Medium	30 - 59	20 - 35
High	0 - 29	25 - 50

**Note. Locations have been listed A-Z**

### Balaklava

Last date used for prediction:

Rainfall to date:

Days with significant stubble moisture:

Forecast for crops sown on	2 Jun	8 Jun	15 Jun
Spores released	70%	80%	89%
Blackspot risk	Low	Low	Low

### Blyth

Last date used for prediction:

Rainfall to date:

Days with significant stubble moisture:

Forecast for crops sown on	2 Jun	8 Jun	15 Jun
Spores released	75%	85%	92%
Blackspot risk	Low	Low	Low

### Bute

Last date used for prediction: 1 June 2026

Rainfall to date: 190.4 mm

Days with significant stubble moisture: 57

Forecast for crops sown on	2 Jun	8 Jun	15 Jun
Spores released	70%	80%	89%
Blackspot risk	Low	Low	Low

### Ceduna

Last date used for prediction: 1 June 2026

Rainfall to date: 183.8 mm

Days with significant stubble moisture: 55

Forecast for crops sown on	2 Jun	8 Jun	15 Jun
Spores released	66%	72%	83%
Blackspot risk	Low	Low	Low

## Clare

Last date used for prediction: 1 June 2026

Rainfall to date: 201 mm

Days with significant stubble moisture: 67

Forecast for crops sown on	2 Jun	8 Jun	15 Jun
Spores released	86%	93%	97%
Blackspot risk	Low	Low	Low

## Cleve

Last date used for prediction: 1 June 2026

Rainfall to date: 201.9 mm

Days with significant stubble moisture: 83

Forecast for crops sown on	2 Jun	8 Jun	15 Jun
Spores released	98%	99%	100%
Blackspot risk	Low	Low	Low

## Crystal Brook

Last date used for prediction: 1 June 2026

Rainfall to date: 140.4 mm

Days with significant stubble moisture: 62

Forecast for crops sown on	2 Jun	8 Jun	15 Jun
Spores released	79%	88%	94%
Blackspot risk	Low	Low	Low

## Eudunda

Last date used for prediction: 1 June 2026

Rainfall to date: 145.4 mm

Days with significant stubble moisture: 63

Forecast for crops sown on	2 Jun	8 Jun	15 Jun
Spores released	80%	89%	95%
Blackspot risk	Low	Low	Low

## Farrell Flat

Last date used for prediction: 1 June 2026

Rainfall to date: 137.6 mm

Days with significant stubble moisture: 61

Forecast for crops sown on	2 Jun	8 Jun	15 Jun
Spores released	77%	86%	93%
Blackspot risk	Low	Low	Low

## Kapunda

Last date used for prediction: 1 June 2026

Rainfall to date: 110.8 mm

Days with significant stubble moisture: 56

Forecast for crops sown on	2 Jun	8 Jun	15 Jun
Spores released	68%	79%	88%
Blackspot risk	Low	Low	Low

## Keith

Last date used for prediction: 1 June 2026

Rainfall to date: 140.3 mm

Days with significant stubble moisture: 67

Forecast for crops sown on	2 Jun	8 Jun	15 Jun
Spores released	86%	93%	97%
Blackspot risk	Low	Low	Low

## Kimba

Last date used for prediction: 1 June 2026

Rainfall to date: 183.4 mm

Days with significant stubble moisture: 54

Forecast for crops sown on	2 Jun	8 Jun	15 Jun
Spores released	64%	77%	87%
Blackspot risk	Low	Low	Low

## Kyancutta

Last date used for prediction: 1 June 2026

Rainfall to date: 191.6 mm

Days with significant stubble moisture: 57

Forecast for crops sown on	2 Jun	8 Jun	15 Jun
Spores released	70%	75%	86%
Blackspot risk	Low	Low	Low

## Lock

Last date used for prediction: 1 June 2026

Rainfall to date: 173.6 mm

Days with significant stubble moisture: 65

Forecast for crops sown on	2 Jun	8 Jun	15 Jun
Spores released	83%	90%	96%
Blackspot risk	Low	Low	Low

## Loxton

Last date used for prediction: 1 June 2026

Rainfall to date: 256 mm

Days with significant stubble moisture: 57

Forecast for crops sown on	2 Jun	8 Jun	15 Jun
Spores released	70%	75%	86%
Blackspot risk	Low	Low	Low

## Maitland

Last date used for prediction: 1 June 2026

Rainfall to date: 232.8 mm

Days with significant stubble moisture: 59

Forecast for crops sown on	2 Jun	8 Jun	15 Jun
Spores released	74%	85%	92%
Blackspot risk	Low	Low	Low

## Minlaton

Last date used for prediction: 1 June 2026

Rainfall to date: 110.4 mm

Days with significant stubble moisture: 60

Forecast for crops sown on	2 Jun	8 Jun	15 Jun
Spores released	75%	86%	93%
Blackspot risk	Low	Low	Low

## Minnipa PIRSA

Last date used for prediction: 1 June 2026

Rainfall to date: 296 mm

Days with significant stubble moisture: 63

Forecast for crops sown on	2 Jun	8 Jun	15 Jun
Spores released	80%	88%	94%
Blackspot risk	Low	Low	Low

## Mount Barker SA

Last date used for prediction: 1 June 2026

Rainfall to date: 157.2 mm

Days with significant stubble moisture: 57

Forecast for crops sown on	2 Jun	8 Jun	15 Jun
Spores released	70%	82%	90%
Blackspot risk	Low	Low	Low

## Murray Bridge

Last date used for prediction: 1 June 2026

Rainfall to date: 167.7 mm

Days with significant stubble moisture: 52

Forecast for crops sown on	2 Jun	8 Jun	15 Jun
Spores released	59%	74%	85%
Blackspot risk	Medium	Low	Low

## Naracoorte

Last date used for prediction: 1 June 2026

Rainfall to date: 207 mm

Days with significant stubble moisture: 78

Forecast for crops sown on	2 Jun	8 Jun	15 Jun
Spores released	95%	98%	99%
Blackspot risk	Low	Low	Low

## Nuriootpa

Last date used for prediction: 1 June 2026

Rainfall to date: 127 mm

Days with significant stubble moisture: 54

Forecast for crops sown on	2 Jun	8 Jun	15 Jun
Spores released	64%	77%	87%
Blackspot risk	Low	Low	Low

## Palmer

Last date used for prediction: 1 June 2026

Rainfall to date: 148.7 mm

Days with significant stubble moisture: 47

Forecast for crops sown on	2 Jun	8 Jun	15 Jun
Spores released	48%	64%	77%
Blackspot risk	Medium	Low	Low

## Parilla

Last date used for prediction: 1 June 2026

Rainfall to date: 158.9 mm

Days with significant stubble moisture: 58

Forecast for crops sown on	2 Jun	8 Jun	15 Jun
Spores released	72%	83%	91%
Blackspot risk	Low	Low	Low

## Port Broughton

Last date used for prediction: 1 June 2026

Rainfall to date: 156.5 mm

Days with significant stubble moisture: 56

Forecast for crops sown on	2 Jun	8 Jun	15 Jun
Spores released	68%	79%	88%
Blackspot risk	Low	Low	Low

## Riverton

Last date used for prediction: 1 June 2026

Rainfall to date: 128.9 mm

Days with significant stubble moisture: 64

Forecast for crops sown on	2 Jun	8 Jun	15 Jun
Spores released	82%	90%	96%
Blackspot risk	Low	Low	Low

## Roseworthy

Last date used for prediction: 1 June 2026

Rainfall to date: 120.2 mm

Days with significant stubble moisture: 54

Forecast for crops sown on	2 Jun	8 Jun	15 Jun
Spores released	64%	77%	87%
Blackspot risk	Low	Low	Low

## Sedan

Last date used for prediction: 1 June 2026

Rainfall to date: 127.7 mm

Days with significant stubble moisture: 60

Forecast for crops sown on	2 Jun	8 Jun	15 Jun
Spores released	75%	86%	93%
Blackspot risk	Low	Low	Low

## Snowtown

Last date used for prediction: 1 June 2026

Rainfall to date: 174.2 mm

Days with significant stubble moisture: 55

Forecast for crops sown on	2 Jun	8 Jun	15 Jun
Spores released	66%	77%	87%
Blackspot risk	Low	Low	Low

## Strathalbyn

Last date used for prediction: 1 June 2026

Rainfall to date: 95.3 mm

Days with significant stubble moisture: 49

Forecast for crops sown on	2 Jun	8 Jun	15 Jun
Spores released	53%	68%	80%
Blackspot risk	Medium	Low	Low

## Tepko

Last date used for prediction: 1 June 2026

Rainfall to date: 126.5 mm

Days with significant stubble moisture: 48

Forecast for crops sown on	2 Jun	8 Jun	15 Jun
Spores released	50%	66%	79%
Blackspot risk	Medium	Low	Low

## Truro

Last date used for prediction: 1 June 2026

Rainfall to date: 139.4 mm

Days with significant stubble moisture: 66

Forecast for crops sown on	2 Jun	8 Jun	15 Jun
Spores released	85%	92%	97%
Blackspot risk	Low	Low	Low

## Tumby Bay

Last date used for prediction: 1 June 2026

Rainfall to date: 130.1 mm

Days with significant stubble moisture: 57

Forecast for crops sown on	2 Jun	8 Jun	15 Jun
Spores released	70%	80%	89%
Blackspot risk	Low	Low	Low

## Wolseley

Last date used for prediction: 1 June 2026

Rainfall to date: 143.5 mm

Days with significant stubble moisture: 72

Forecast for crops sown on	2 Jun	8 Jun	15 Jun
Spores released	91%	96%	99%
Blackspot risk	Low	Low	Low

## Yeelanna

Last date used for prediction: 1 June 2026

Rainfall to date: 163.2 mm

Days with significant stubble moisture: 61

Forecast for crops sown on	2 Jun	8 Jun	15 Jun
Spores released	77%	86%	93%
Blackspot risk	Low	Low	Low

## Yorketown

Last date used for prediction: 1 June 2026

Rainfall to date: 136.6 mm

Days with significant stubble moisture: 52

Forecast for crops sown on	2 Jun	8 Jun	15 Jun
Spores released	59%	74%	85%
Blackspot risk	Medium	Low	Low

## More information

For more information contact [Mohsen Khani](#) at SARDI on +61 (8) 8429 2285.

## Important disclaimers

You may notice weather station changes for some locations. This is to ensure that the weather data being used is the most accurate available for the area and uses open DPIRD and BOM weather stations whenever possible. In some locations, a suitable weather station may not be available and so we may use interpolated weather data, which uses data from surrounding stations to create reasonable values for missing weather data.

The Chief Executive Officer of the Department of Primary Industries and Regional Development and the State of Western Australia accept no liability whatsoever by reason of negligence or otherwise arising from the use or release of this information or any part of it. Copyright © State of Western Australia (Department of Primary Industries and Regional Development), 2026.