



Date: 8 June 2026

# Field pea blackspot risk forecast for Western Australia

Field Pea Blackspot Risk Forecast is a location and season specific weekly forecast. It accounts for varietal resistance and chemical options, agronomic yield potentials, agronomic constraints (frost and terminal drought), risks of spore showers, disease severity, and disease related yield loss. It then weighs agronomic yield loss and disease yield loss and suggests a window of sowing dates.

This prediction is based on DPIRD's Blackspot Manager model using weather data from 1 January 2026 to 7 June 2026 from the nearest weather station.

You may notice weather station changes for some locations. This is to ensure that the weather data being used is the most accurate available for the area and uses open BOM weather stations whenever possible. In some locations, a suitable weather station may not be available and so we may use interpolated weather data, which uses data from surrounding stations to create reasonable values for missing weather data.

Sowing time can depend on a range of factors and it is recommended to consult an agronomist to determine the optimal sowing window for your situation.


## Missing a location or would like to receive email or SMS alerts?

Sign up today to get alerts and add your local weather station. Text 'blackspot', your name and nearest weather station to 0475 959 932 or email [BlackspotManager@dpiird.wa.gov.au](mailto:BlackspotManager@dpiird.wa.gov.au).

## Key to blackspot severity scores

The aim is to delay sowing of field pea crops, where agronomically possible, until the majority of blackspot spores (approximately 60%) have been released prior to the crop emergence. This strategy reduces yield losses from blackspot.

*Map showing the relative current risk of spores based upon blackspot model outputs for various location in Western Australia, 8 June 2026.*



Blackspot risk	Spores released (%)	Range of yield loss for different levels of blackspot risk (%)
Low	60 - 100	2 - 15
Medium	30 - 59	20 - 35
High	0 - 29	25 - 50

**Note. Locations have been listed A-Z**

## Bencubbin

Last date used for prediction: 7 June 2026

Rainfall to date: 116.8 mm

Days with significant stubble moisture: 32

Forecast for crops sown on	8 Jun	14 Jun	21 Jun
Spores released and blackspot risk	15% spores released - blackspot risk high	19% spores released - blackspot risk high	34% spores released - blackspot risk medium
Sowing guide (based on agronomic suitability)	Do not sow	Do not sow	Do not sow

## Boyatup

Last date used for prediction: 7 June 2026

Rainfall to date: 207.4 mm

Days with significant stubble moisture: 82

Forecast for crops sown on	8 Jun	14 Jun	21 Jun
Spores released and blackspot risk	97% spores released - blackspot risk low	98% spores released - blackspot risk low	99% spores released - blackspot risk low
Sowing guide (based on agronomic suitability)	Sow - do not sow dry	Sow - do not sow dry	Sow - do not sow dry

## Cascade

Last date used for prediction: 7 June 2026

Rainfall to date: 189 mm

Days with significant stubble moisture: 78

Forecast for crops sown on	8 Jun	14 Jun	21 Jun
Spores released and blackspot risk	96% spores released - blackspot risk low	97% spores released - blackspot risk low	99% spores released - blackspot risk low
Sowing guide (based on agronomic suitability)	Sow - do not sow dry	Sow - do not sow dry	Sow - do not sow dry

## Condingup

Last date used for prediction: 7 June 2026

Rainfall to date: 222.8 mm

Days with significant stubble moisture: 72

Forecast for crops sown on	8 Jun	14 Jun	21 Jun
Spores released and blackspot risk	91% spores released - blackspot risk low	94% spores released - blackspot risk low	98% spores released - blackspot risk low
Sowing guide (based on agronomic suitability)	Sow - do not sow dry	Sow - do not sow dry	Sow - do not sow dry

## Coomalbidgup

Last date used for prediction: 7 June 2026

Rainfall to date: 237.6 mm

Days with significant stubble moisture: 84

Forecast for crops sown on	8 Jun	14 Jun	21 Jun
Spores released and blackspot risk	98% spores released - blackspot risk low	99% spores released - blackspot risk low	100% spores released - blackspot risk low
Sowing guide (based on agronomic suitability)	Sow - do not sow dry	Sow - do not sow dry	Sow - do not sow dry

## Cunderdin

Last date used for prediction: 7 June 2026

Rainfall to date: 112.4 mm

Days with significant stubble moisture: 31

Forecast for crops sown on	8 Jun	14 Jun	21 Jun
Spores released and blackspot risk	13% spores released - blackspot risk high	17% spores released - blackspot risk high	31% spores released - blackspot risk medium
Sowing guide (based on agronomic suitability)	Do not sow	Do not sow	Do not sow

## Dalwallinu

Last date used for prediction: 7 June 2026

Rainfall to date: 115.8 mm

Days with significant stubble moisture: 36

Forecast for crops sown on	8 Jun	14 Jun	21 Jun
Spores released and blackspot risk	23% spores released - blackspot risk high	27% spores released - blackspot risk high	43% spores released - blackspot risk medium
Sowing guide (based on agronomic suitability)	Sow - do not sow dry	Sow - do not sow dry	Sow - do not sow dry

## Darkan

Last date used for prediction: 7 June 2026

Rainfall to date: 174.8 mm

Days with significant stubble moisture: 44

Forecast for crops sown on	8 Jun	14 Jun	21 Jun
Spores released and blackspot risk	41% spores released - blackspot risk medium	46% spores released - blackspot risk medium	62% spores released - blackspot risk low
Sowing guide (based on agronomic suitability)	Do not sow	Sow - do not sow dry	Sow - do not sow dry

## Dinninup (Boyup Brook)

Last date used for prediction: 7 June 2026

Rainfall to date: 171.2 mm

Days with significant stubble moisture: 42

Forecast for crops sown on	8 Jun	14 Jun	21 Jun
Spores released and blackspot risk	15% spores released - blackspot risk high	19% spores released - blackspot risk high	34% spores released - blackspot risk medium
Sowing guide (based on agronomic suitability)	Do not sow	Do not sow	Do not sow

## Ejanding (Dowerin)

Last date used for prediction: 7 June 2026

Rainfall to date: 111 mm

Days with significant stubble moisture: 32

Forecast for crops sown on	8 Jun	14 Jun	21 Jun
Spores released and blackspot risk	15% spores released - blackspot risk high	19% spores released - blackspot risk high	34% spores released - blackspot risk medium
Sowing guide (based on agronomic suitability)	Do not sow	Do not sow	Do not sow

## Esperance Downs

Last date used for prediction: 7 June 2026

Rainfall to date: 200.4 mm

Days with significant stubble moisture: 74

Forecast for crops sown on	8 Jun	14 Jun	21 Jun
Spores released and blackspot risk	92% spores released - blackspot risk low	94% spores released - blackspot risk low	98% spores released - blackspot risk low
Sowing guide (based on agronomic suitability)	Sow - do not sow dry	Sow - do not sow dry	Sow - do not sow dry

## Gairdner

Last date used for prediction: 7 June 2026

Rainfall to date: 116 mm

Days with significant stubble moisture: 48

Forecast for crops sown on	8 Jun	14 Jun	21 Jun
Spores released and blackspot risk	50% spores released - blackspot risk medium	55% spores released - blackspot risk medium	70% spores released - blackspot risk low
Sowing guide (based on agronomic suitability)	Do not sow	Do not sow	Sow - do not sow dry

## Grass Patch

Last date used for prediction: 7 June 2026

Rainfall to date: 213.8 mm

Days with significant stubble moisture: 67

Forecast for crops sown on	8 Jun	14 Jun	21 Jun
Spores released and blackspot risk	85% spores released - blackspot risk low	87% spores released - blackspot risk low	94% spores released - blackspot risk low
Sowing guide (based on agronomic suitability)	Sow - do not sow dry	Sow - do not sow dry	Sow - do not sow dry

## Jerdacuttup

Last date used for prediction: 7 June 2026

Rainfall to date: 205.8 mm

Days with significant stubble moisture: 70

Forecast for crops sown on	8 Jun	14 Jun	21 Jun
Spores released and blackspot risk	89% spores released - blackspot risk low	93% spores released - blackspot risk low	97% spores released - blackspot risk low
Sowing guide (based on agronomic suitability)	Sow - do not sow dry	Sow - do not sow dry	Sow - do not sow dry

## Jerramungup North

Last date used for prediction: 7 June 2026

Rainfall to date: 104.2 mm

Days with significant stubble moisture: 61

Forecast for crops sown on	8 Jun	14 Jun	21 Jun
Spores released and blackspot risk	77% spores released - blackspot risk low	80% spores released - blackspot risk low	89% spores released - blackspot risk low
Sowing guide (based on agronomic suitability)	Sow - do not sow dry	Sow - do not sow dry	Sow - do not sow dry

## Katanning

Last date used for prediction: 7 June 2026

Rainfall to date: 97.2 mm

Days with significant stubble moisture: 31

Forecast for crops sown on	8 Jun	14 Jun	21 Jun
Spores released and blackspot risk	13% spores released - blackspot risk high	17% spores released - blackspot risk high	31% spores released - blackspot risk medium
Sowing guide (based on agronomic suitability)	Do not sow	Do not sow	Do not sow

## Kojonup

Last date used for prediction: 7 June 2026

Rainfall to date: 127.3 mm

Days with significant stubble moisture: 39

Forecast for crops sown on	8 Jun	14 Jun	21 Jun
Spores released and blackspot risk	27% spores released - blackspot risk high	31% spores released - blackspot risk medium	48% spores released - blackspot risk medium
Sowing guide (based on agronomic suitability)	Do not sow	Do not sow	Sow - do not sow dry

## Kondinin

Last date used for prediction: 7 June 2026

Rainfall to date: 81.3 mm

Days with significant stubble moisture: 39

Forecast for crops sown on	8 Jun	14 Jun	21 Jun
Spores released and blackspot risk	29% spores released - blackspot risk high	34% spores released - blackspot risk medium	50% spores released - blackspot risk medium
Sowing guide (based on agronomic suitability)	Do not sow	Do not sow	Sow - do not sow dry

## Kulin

Last date used for prediction: 7 June 2026

Rainfall to date: 83.1 mm

Days with significant stubble moisture: 46

Forecast for crops sown on	8 Jun	14 Jun	21 Jun
Spores released and blackspot risk	46% spores released - blackspot risk medium	50% spores released - blackspot risk medium	66% spores released - blackspot risk low
Sowing guide (based on agronomic suitability)	Sow - do not sow dry	Sow - do not sow dry	Sow - do not sow dry

## Lake King

Last date used for prediction: 7 June 2026

Rainfall to date: 92.4 mm

Days with significant stubble moisture: 54

Forecast for crops sown on	8 Jun	14 Jun	21 Jun
Spores released and blackspot risk	64% spores released - blackspot risk low	68% spores released - blackspot risk low	80% spores released - blackspot risk low
Sowing guide (based on agronomic suitability)	Sow - do not sow dry	Sow - do not sow dry	Sow - do not sow dry

## Merredin

Last date used for prediction: 7 June 2026

Rainfall to date: 120 mm

Days with significant stubble moisture: 37

Forecast for crops sown on	8 Jun	14 Jun	21 Jun
Spores released and blackspot risk	25% spores released - blackspot risk high	29% spores released - blackspot risk high	46% spores released - blackspot risk medium
Sowing guide (based on agronomic suitability)	Do not sow	Do not sow	Sow - do not sow dry

## Mingenew

Last date used for prediction: 7 June 2026

Rainfall to date: 133 mm

Days with significant stubble moisture: 43

Forecast for crops sown on	8 Jun	14 Jun	21 Jun
Spores released and blackspot risk	38% spores released - blackspot risk medium	43% spores released - blackspot risk medium	59% spores released - blackspot risk medium
Sowing guide (based on agronomic suitability)	Do not sow	Sow - do not sow dry	Sow - do not sow dry

## Moora North West

Last date used for prediction: 7 June 2026

Rainfall to date: 98.4 mm

Days with significant stubble moisture: 38

Forecast for crops sown on	8 Jun	14 Jun	21 Jun
Spores released and blackspot risk	27% spores released - blackspot risk high	31% spores released - blackspot risk medium	48% spores released - blackspot risk medium
Sowing guide (based on agronomic suitability)	Do not sow	Do not sow	Sow - do not sow dry

## Morawa

Last date used for prediction: 7 June 2026

Rainfall to date: 142.6 mm

Days with significant stubble moisture: 35

Forecast for crops sown on	8 Jun	14 Jun	21 Jun
Spores released and blackspot risk	21% spores released - blackspot risk high	25% spores released - blackspot risk high	41% spores released - blackspot risk medium
Sowing guide (based on agronomic suitability)	Sow - do not sow dry	Sow - do not sow dry	Sow - do not sow dry

## Mount Burdett

Last date used for prediction: 7 June 2026

Rainfall to date: 149.4 mm

Days with significant stubble moisture: 71

Forecast for crops sown on	8 Jun	14 Jun	21 Jun
Spores released and blackspot risk	90% spores released - blackspot risk low	92% spores released - blackspot risk low	97% spores released - blackspot risk low
Sowing guide (based on agronomic suitability)	Sow - do not sow dry	Sow - do not sow dry	Sow - do not sow dry

## Mount Howick

Last date used for prediction: 7 June 2026

Rainfall to date: 202.8 mm

Days with significant stubble moisture: 79

Forecast for crops sown on	8 Jun	14 Jun	21 Jun
Spores released and blackspot risk	96% spores released - blackspot risk low	97% spores released - blackspot risk low	99% spores released - blackspot risk low
Sowing guide (based on agronomic suitability)	Sow - do not sow dry	Sow - do not sow dry	Sow - do not sow dry

## Mount Madden East

Last date used for prediction: 7 June 2026

Rainfall to date: 91.2 mm

Days with significant stubble moisture: 56

Forecast for crops sown on	8 Jun	14 Jun	21 Jun
Spores released and blackspot risk	68% spores released - blackspot risk low	72% spores released - blackspot risk low	83% spores released - blackspot risk low
Sowing guide (based on agronomic suitability)	Sow - do not sow dry	Sow - do not sow dry	Sow - do not sow dry

## Mount Ney

Last date used for prediction: 7 June 2026

Rainfall to date: 140.8 mm

Days with significant stubble moisture: 65

Forecast for crops sown on	8 Jun	14 Jun	21 Jun
Spores released and blackspot risk	83% spores released - blackspot risk low	86% spores released - blackspot risk low	93% spores released - blackspot risk low
Sowing guide (based on agronomic suitability)	Sow - do not sow dry	Sow - do not sow dry	Sow - do not sow dry

## Mt Barker

Last date used for prediction: 7 June 2026

Rainfall to date: 196.8 mm

Days with significant stubble moisture: 77

Forecast for crops sown on	8 Jun	14 Jun	21 Jun
Spores released and blackspot risk	95% spores released - blackspot risk low	97% spores released - blackspot risk low	99% spores released - blackspot risk low
Sowing guide (based on agronomic suitability)	Sow - do not sow dry	Sow - do not sow dry	Sow - do not sow dry

## Mullewa

Last date used for prediction: 7 June 2026

Rainfall to date: 134.7 mm

Days with significant stubble moisture: 35

Forecast for crops sown on	8 Jun	14 Jun	21 Jun
Spores released and blackspot risk	21% spores released - blackspot risk high	25% spores released - blackspot risk high	41% spores released - blackspot risk medium
Sowing guide (based on agronomic suitability)	Sow - do not sow dry	Sow - do not sow dry	Sow - do not sow dry

## Munglinup

Last date used for prediction: 7 June 2026

Rainfall to date: 227 mm

Days with significant stubble moisture: 79

Forecast for crops sown on	8 Jun	14 Jun	21 Jun
Spores released and blackspot risk	96% spores released - blackspot risk low	98% spores released - blackspot risk low	99% spores released - blackspot risk low
Sowing guide (based on agronomic suitability)	Sow - do not sow dry	Sow - do not sow dry	Sow - do not sow dry

## Munglinup West

Last date used for prediction: 7 June 2026

Rainfall to date: 211.4 mm

Days with significant stubble moisture: 71

Forecast for crops sown on	8 Jun	14 Jun	21 Jun
Spores released and blackspot risk	90% spores released - blackspot risk low	92% spores released - blackspot risk low	97% spores released - blackspot risk low
Sowing guide (based on agronomic suitability)	Sow - do not sow dry	Sow - do not sow dry	Sow - do not sow dry

## Narrogin

Last date used for prediction: 7 June 2026

Rainfall to date: 79.3 mm

Days with significant stubble moisture: 44

Forecast for crops sown on	8 Jun	14 Jun	21 Jun
Spores released and blackspot risk	41% spores released - blackspot risk medium	46% spores released - blackspot risk medium	62% spores released - blackspot risk low
Sowing guide (based on agronomic suitability)	Do not sow	Sow - do not sow dry	Sow - do not sow dry

## Newdegate

Last date used for prediction: 7 June 2026

Rainfall to date: 111.8 mm

Days with significant stubble moisture: 48

Forecast for crops sown on	8 Jun	14 Jun	21 Jun
Spores released and blackspot risk	50% spores released - blackspot risk medium	55% spores released - blackspot risk medium	70% spores released - blackspot risk low
Sowing guide (based on agronomic suitability)	Sow - do not sow dry	Sow - do not sow dry	Sow - do not sow dry

## Northam

Last date used for prediction: 7 June 2026

Rainfall to date: 132.6 mm

Days with significant stubble moisture: 38

Forecast for crops sown on	8 Jun	14 Jun	21 Jun
Spores released and blackspot risk	27% spores released - blackspot risk high	31% spores released - blackspot risk medium	48% spores released - blackspot risk medium
Sowing guide (based on agronomic suitability)	Do not sow	Do not sow	Sow - do not sow dry

## Pingaring

Last date used for prediction: 7 June 2026

Rainfall to date: 81 mm

Days with significant stubble moisture: 32

Forecast for crops sown on	8 Jun	14 Jun	21 Jun
Spores released and blackspot risk	15% spores released - blackspot risk high	19% spores released - blackspot risk high	34% spores released - blackspot risk medium

Sowing guide (based on agronomic suitability)	Do not sow	Do not sow	Do not sow
-----------------------------------------------	------------	------------	------------

## Pingrup

Last date used for prediction: 7 June 2026

Rainfall to date: 68.3 mm

Days with significant stubble moisture: 44

Forecast for crops sown on	8 Jun	14 Jun	21 Jun
Spores released and blackspot risk	41% spores released - blackspot risk medium	46% spores released - blackspot risk medium	62% spores released - blackspot risk low
Sowing guide (based on agronomic suitability)	Do not sow	Sow - do not sow dry	Sow - do not sow dry

## Ravensthorpe

Last date used for prediction: 7 June 2026

Rainfall to date: 126.2 mm

Days with significant stubble moisture: 57

Forecast for crops sown on	8 Jun	14 Jun	21 Jun
Spores released and blackspot risk	70% spores released - blackspot risk low	74% spores released - blackspot risk low	85% spores released - blackspot risk low
Sowing guide (based on agronomic suitability)	Sow - do not sow dry	Sow - do not sow dry	Sow - do not sow dry

## Ridley North

Last date used for prediction: 7 June 2026

Rainfall to date: 192.8 mm

Days with significant stubble moisture: 62

Forecast for crops sown on	8 Jun	14 Jun	21 Jun
Spores released and blackspot risk	79% spores released - blackspot risk low	82% spores released - blackspot risk low	90% spores released - blackspot risk low
Sowing guide (based on agronomic suitability)	Sow - do not sow dry	Sow - do not sow dry	Sow - do not sow dry

## Salmon Gums

Last date used for prediction: 7 June 2026

Rainfall to date: 185 mm

Days with significant stubble moisture: 58

Forecast for crops sown on	8 Jun	14 Jun	21 Jun
Spores released and blackspot risk	70% spores released - blackspot risk low	74% spores released - blackspot risk low	85% spores released - blackspot risk low
Sowing guide (based on agronomic suitability)	Sow - do not sow dry	Sow - do not sow dry	Sow - do not sow dry

## Scaddan

Last date used for prediction: 7 June 2026

Rainfall to date: 194.8 mm

Days with significant stubble moisture: 68

Forecast for crops sown on	8 Jun	14 Jun	21 Jun
Spores released and blackspot risk	85% spores released - blackspot risk low	87% spores released - blackspot risk low	94% spores released - blackspot risk low
Sowing guide (based on agronomic suitability)	Sow - do not sow dry	Sow - do not sow dry	Sow - do not sow dry

## Tammin

Last date used for prediction: 7 June 2026

Rainfall to date: 91.2 mm

Days with significant stubble moisture: 32

Forecast for crops sown on	8 Jun	14 Jun	21 Jun
Spores released and blackspot risk	15% spores released - blackspot risk high	19% spores released - blackspot risk high	34% spores released - blackspot risk medium
Sowing guide (based on agronomic suitability)	Do not sow	Do not sow	Do not sow

## Wattening (Bolgart & Toodyay)

Last date used for prediction: 7 June 2026

Rainfall to date: 94 mm

Days with significant stubble moisture: 36

Forecast for crops sown on	8 Jun	14 Jun	21 Jun
Spores released and blackspot risk	23% spores released - blackspot risk high	27% spores released - blackspot risk high	43% spores released - blackspot risk medium
Sowing guide (based on agronomic suitability)	Do not sow	Do not sow	Sow - do not sow dry

## More information

For more information contact [Jean Galloway](#) at DPIRD on +61 (8) 9690 2172.

## Important disclaimers

You may notice weather station changes for some locations. This is to ensure that the weather data being used is the most accurate available for the area and uses open DPIRD and BOM weather stations whenever possible. In some locations, a suitable weather station may not be available and so we may use interpolated weather data, which uses data from surrounding stations to create reasonable values for missing weather data.

The Chief Executive Officer of the Department of Primary Industries and Regional Development and the State of Western Australia accept no liability whatsoever by reason of negligence or otherwise arising from the use or release of this information or any part of it. Copyright © State of Western Australia (Department of Primary Industries and Regional Development), 2026.