

Seed dressing and in-furrow fungicides registered for use on canola in Western Australia – 2024-25

This information is a guide only. Chemical labels should be read, and rates should be checked before using fungicides. Mention of trade names does not imply endorsement of any company's products. Recommendations are current at the time this page was prepared. Refer to footnotes for key to symbols. Turn on punctuation if using a screen reader.

Fungicide active ingredient and equivalent trade names. Lists may not be comprehensive – check with your retailer.

Table 1 Seed dressing fungicides registered on canola. Rates listed for application to 100 kg of seed

Seed dressing active ingredient	Blackleg (<i>Leptosphaeria maculans</i>)	Damping off	Hypocotyl rot	Root rot	Example product trade names (® = registered trademark)
Fluquinconazole (167g/L)	2L/100kg suppression	No registration	No registration	No registration	Quantum®, Quantum Pro®, Rider® 167SC seed treatment, Fluzole® seed treatment
Fludioxonil (25g/L) + Metalaxyl-M (10g/L)	0.4L/100kg suppression	0.2-0.4L /100kg	0.2-0.4L /100kg	No registration	Maxim® XL
Iprodione (500g/L)	No registration	No registration	0.2L/100kg	No registration	Vulcan® FS
Penflufen(154g/L) + Trifloxystrobin(154g/L)	No registration	65mL /100kg	65mL /100kg	65mL /100kg	Evergol® Xtend
Pydiflumetofen (200g/L)	200mL/100 kg control	No registration	No registration	No registration	Saltro® Fungicide Seed Treatment
Fluopyram (380 g/L)	800mL/100 kg suppression	No registration	No registration	No registration	ILeVO® Seed Treatment Fungicide

Table 2 In-furrow or banded fungicides registered on canola

Rates listed for application to 1 hectare. May be applied onto granulated fertiliser or injected in water or liquid fertiliser directly in-furrow

In-furrow active ingredient	Blackleg (<i>Leptosphaeria maculans</i>)	Damping off	Hypocotyl rot	Root rot	Product examples by trade names (® = registered trademark)
Flutriafol (250g/L)	0.4L/ha	No registration	No registration	No registration	Impact®, Flutriafol 250SC, Bayonet®, Tricam®, Pollux®, Flufol®, Flutifol® 250SC, Flout® 250SC, Bayonet®, Futura® 250SC, Flukey®
Flutriafol (500g/L)	0.2L/ha	No registration	No registration	No registration	Flutriafol 500SC, Impact® Endure, Intake® Hiload Gold, Flufol® 500SC, Frite® 500, Verge® 500SC, Leda® 500SC, Fearsome® 500, Jubilee® 500, Flutriafol Max®, Bayonet® Flex, Futura® 500SC, Efecto®, Azure® 500
Flutriafol (600g/L)	0.167L/ha	No registration	No registration	No registration	Flutriafol 600SC (Eureka and Apparent), Flufol® 600SC
Flutriafol (400g/L)	250mL	No registration	No registration	No registration	Flutriafix 400 SC

Note

No in-furrow products are registered for root rot.

Contacts

Kithsiri Jayasena | Email Kithsiri.jayasena@dpird.wa.gov.au | Phone 08 9892 8477

Andrea Hills | Email Andrea.Hills@dpird.wa.gov.au | Phone 08 9083 1144

Geoff Thomas | Email Geoff.j.Thomas@dpird.wa.gov.au | Phone 08 9368 3262

Ciara Beard | Email | Ciara.Beard@dpird.wa.gov.au Phone 08 9956 8504

Please inform Kithsiri Jayasena of any errors or omissions.

Last updated November 2024

Important Disclaimer

Mention of trade names does not imply endorsement or preference of any company's product by Department of Primary Industries and Regional Development (DPIRD) and any omission of a trade name is unintentional. Recommendations are current at the time this page was prepared.

The Chief Executive Officer of the Department of Primary Industries and Regional Development and the State of Western Australia accept no liability whatsoever by reason of negligence or otherwise arising from the use or release of this information or any part of it.

Copyright © State of Western Australia (Department of Primary Industries and Regional Development), 2024.

dpird.wa.gov.au